



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

SW

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/766,696	01/19/2001	Kazuhiro Fujii	SIC -00-004	9689

29863 7590 02/24/2004
DELAND LAW OFFICE
P.O. BOX 69
KLAMATH RIVER, CA 96050-0069

EXAMINER

BOEHLER, ANNE MARIE M

ART UNIT PAPER NUMBER

3611

DATE MAILED: 02/24/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/766,696

Applicant(s)

FUJII, KAZUHIRO

Examiner

Anne Marie M. Boehler

Art Unit

3611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 November 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-82 is/are pending in the application.
- 4a) Of the above claim(s) 19-65 and 74-76 is/are withdrawn from consideration.
- 5) ☒ Claim(s) 68, 70-73 is/are allowed.
- 6) ☒ Claim(s) 1-18, 66, 67, 69, 77-82 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- 1) ☐ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 14.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 3611

DETAILED ACTION

1. Claims withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim.

Applicant timely traversed the restriction (election) requirement in Paper No. 8.

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-18, 66,67, 69, 77-82 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ethington in view of Chappell.

Ethington shows a base for actuator 50 including an upper flat surface of the bottom wall surface and vertical walls supporting a load thereon. It also includes pair of brackets. The brackets are connected to the angled down tube rather than a horizontal chain stay.

Chappell shows a support for a transmission actuator including two brackets connecting the actuator to a chain stay.

It would have been obvious to one of ordinary skill in the art to mount the Ethington control device to the chain stay, as taught by Chappell, in order to mount the controller proximate the sensing device for a more compact arrangement.

4. Applicant's arguments filed November 24, 2003 have been fully considered but they are not persuasive.

Art Unit: 3611

Applicant argues that there is no motivation to position the Ethington power unit on the chain stay, as taught by Chappel, because it would provide little benefit and would not be more compact in that more cable would be needed to connect the manual shift levers to the actuators. The examiner disagrees. Ethington describes a retrofit for an existing bicycle. The bicycle will already have cables connecting the manual shifters to the front and rear derailleurs. Therefore, a significant amount of additional cable, nor greater complexity or exposure of cable will not be required if the automatic shift actuation unit positioned on the chain stay. Also, positioning the actuators and sensor together allows for fewer mounting brackets, and consolidated wiring running to the controller 72 for easier assembly at the time of the retrofit. Therefore, the rejection is being maintained.

Regarding the amendment to claim 66, "wherein the upper surface does not form part of the control device", this claim language is believed to be met by the combination. In Ethington, the upper surface is part of a support structure, not part of the control device (motors 48, 54).

5. Claims 68, 70-73 allowed.

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within

Art Unit: 3611

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anne Marie M Boehler whose telephone number is 703-308-0422. The examiner can normally be reached on 7:30-5:00, Monday-Thursday, and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lesley Morris can be reached on 703-308-0629. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ausob 2/23/04
Anne Marie M Boehler
Primary Examiner
Art Unit 3611